olping Zellakler Hop Gustav John son 9-10-87 Shoemaker Shop 100 East John Heorge Carroll Home North Log -> veneer Newer School Addition Barn Peace 4th of Block = one lot Barbeque School Board & Supt Office John Nelson Carroll lot Sold to Wasatch Co. School District about The log core home was purchased by Almon Clegg + moved to his present home site - -363 w 200 So. Heper Log garage Duke Anderson Home & Hospita/ 200 East

Office 373-0957 1275 North University Provo, Utah 84601

ROBERT J. PETERSEN, M.D.

Otolaryngology Res. 375-9678 KEN O. JONES, Ph.D. Clinical Audiology BYU Off. f-411 HFAC 374-1211, Ext. 4317

David Saling Res. 374-2682 PATIENT'S NAME: DATE: Sept BOTTLE PNU/ SUGG. ACTUAL DATE DATE DOSE DOSE 91.17 .05 .05 INSTRUCTIONS FOR INJECTION OF -10 :10 ALLERGY SOLUTIONS -15 16-Treatments given at home 15 are at the patient's own risk. .30 ,20 Reactions are rare, but do occur. Have antidotes: Benadryl .25 injection, Adrenalin injection, .30 cortisone injection. Symptoms of reaction: hives, acute attack of hay fever or .025 .050 asthma, tight throat--can't E.10 breath, turning blue, flushing, .100 .125 perspiring heavily, nausea, vomiting, dizziness, collapse. .175 Mild reaction: Benadryl-inject .20 .200 .225 content of syringe into muscle, .250 accident injection into a vessle :30 is not harmful. Severe reaction: Adrenalin .3cc subcutaneously--under skin .40 in opposite arm, place tourniquet above injection site. Also take Benadryl and cortisone in-E.50 jection. When in doubt it is safe to take the antihistamine .60 and cortisone. Keep solutions in refrigerator (not freezer). E.70 5. Clean skin with alcohol, inject about 1/2 the length of the 80 needle under the skin, withdraw plunger a little to be sure you are not into a vessel and inject. 90 Volume of injection not to exceed .25-.30cc. 1.00 If reaction as large as a 25¢ piece do not increase dose. If as large as a 50¢ piece reduce dose to previous level. 8. Call my office or bring patient to Emergency room of Utah Valley Hospital if a severe reaction occurs.

| | Raint | |
|----------|--|------------|
| | Home | |
| 4 | 100 East | |
| 300 NG | Joseph Stacey Murdock Sandstone Polygamy Home Inhone | |
| | n step (A state of the state o | |
| | AND BELLEVIEW TO TRACE | ijā Jawaki |
| } | | |
| | | |
| | | |
| | | * 21*** |
| | - Joseph Stacy Murdock Log | ee. |
| | hama of | |
| | wife. | |
| <u> </u> | 200 East | |
| | The state of the s | |
| | | X40 |

VIRGINIA WHITNEY CANCER DETECTION CLINIC AMERICAN CANCER SOCIETY SURVEY

UTAH DIVISION 610 East South Temple Salt Lake City, Utah 84102

| | Sait Lake C Telephon | e: 322-0431 | | | |
|---|---------------------------------|-------------|-----------------------|--|--|
| NAME: Behrens | , line | _, | AGE 25 | | |
| ADDRESS PO. Box. | (first) | - 1 | | | |
| PERSONAL PHYSICIAN: Dr. | | | | | |
| ADDRESS | Main Sty t | leber | | | |
| DATE OF LAST PHYSICAL EXAMI | - | | STRUAL PERIOD 3-18-78 | | |
| CHECK IF YOU HAVE ANY OF TH | | | - | | |
| <u>*</u> | eeding or discharge. | | | | |
| /_/ 2. A lump or thickening in the breast or elsewhere. | | | | | |
| / / 3. A sore that does not heal. | | | | | |
| / / 4. Change in | bowel or bladder hab | its. | | | |
| | | | * | | |
| | n or difficulty in s | wallowing. | | | |
| - | size or color of a w | | · initial | | |
| - | | | | | |
| DESCRIBE SYMPTOMS IF YOU HA | ↓ NYE CHECKED ANY OF TH | IE ABOVE: | | | |
| | | | | | |
| | | 1 | | | |
| | | | 0/4/0 | | |
| | | Î | | | |
| PHYSICIAN'S COMMENTS | | | | | |
| mornal Dru | asti | | | | |
| and Gelvis | | | | | |
| | ! | | | | |
| | | | | | |